Contents

Conference Photograph vi

Preface vii

Conference Information viii

Contents ix

Chapter 1. Holeburning

Spectral diffusion induced by energy transfer and high-pressure effects in doped organic glasses: A hole-burning study
F.T.H. den Hartog, M.P. Bakker, J.M.A. Koedijk, T.M.H. Creemers, S. Völker 1

Optical hole burning of Eu^{3+} and Pr^{3+} in disordered mixed crystals CaF_2/LaF_3 and CaF_2/YF_3
K.W. Jang, K.S. Hong, T.T. Basiev, R.S. Meltzer 8

Transient hole-burning spectroscopy of Zn-protoporphyrin-substituted myoglobin
Y. Shibata, A. Kurita, T. Kushida 13

Magneto-optical hole burning studies of matrix isolated phthalocyanines
E. Krausz, H. Riesen, P.N. Schatz, Z. Gasyna, C.L. Dunford, B.E. Williamson 19

$^5D_J \rightarrow {}^7F_0$ transition probability and hole burning quantum efficiency of Sm^{2+}
H. Song, J. Zhang, L. Sun, S. Huang, J. Yu 25

Population hole burning on the $4f^7$ ($^8S^{7/2}$) $\rightarrow 4f^6 5d$ (Γ_8) zero-phonon transition in MBE films of $CaF_2:Eu^{2+}$
D.M. Boye, Y. Sun, R.S. Meltzer, N.S. Sokolov, J.C. Alvarez 29

Hole burning of rare earth doped calcium fluoride
T.R. Dyke, N.M. Strickland, J.P.D. Martin, N.B. Manson 36

Chapter 2. Coherence and dephasing

Dephasing of large coherence length excitons in PIC J aggregates
S. Kobayashi, F. Sasaki 40

Coherent pulse propagation at bound exciton states in CdS
M. Jütte, H. Stolz, W. von der Osten 45

Optical Stark effects in the dynamics of a Raman coupled model
M. Alexanian, S.K. Bose 48

Polarization dependence of the stimulated photon echo due to excitons in GaSe
A. Hasegawa, Y. Mitsumori, F. Minami 51

Photon echo of β-carotene solutions
J. Watanabe, T. Hayasaka, J. Nakahara 55

Transient nutation in a double resonance configuration: A dressed state description
C. Wei, A.D. Greentree, N.B. Manson, J.P.D. Martin 61

Coherent effects in nonlinear absorption of thin ZnSe layers and $Zn_{1-x}Cd_xSe/ZnSe$ quantum wells under resonant excitation
K. Wundke, U. Neukirch, J. Gutowski, D. Hommel, S. Ferreira, H. Sitter 65

Data compression in $Pr^{3+}:Y_2SiO_5$ by frequency-swept pulses
F.R. Graf, B.H. Plagemann, E.S. Maniloff, S.B. Altner, A. Renn, U.P. Wild 70

Optical memory based on the long-term photon echo phenomenon
N. Akhmediev 74

Optical nutation effect in electron–hole BCS states
M. Aihara, T. Iida 78

Excitonic free induction decay studied with femtosecond pulse pairs
Y. Mitsumori, H. Fukushima, M. Ogura, T. Kuroda, S. Koshihara, F. Minami 81

Dephasing of excitons in ZnSe and ZnS_xSe_{1-x} quantum wells
H.P. Wagner, J. Lehmann, B. Hahn 84

Chapter 3. Nonlinear optics

Properties of stimulated Raman scattering in crystals
J.T. Murray, R.C. Powell, N. Peyghambarian 89

Separable nature of nonlocal susceptibilities for general cases of interacting radiation–matter systems
Y. Ohfuti, K. Cho 94

Nonlinear optical excitations in femtosecond spectroscopy of conjugated polymers
M. Hartmann, M. Schreiber, H.-W. Streitwolf, S. Mukamel 97

Study of excited state processes by using dynamic gratings in the frequency domain
K. Dou, C. Jin, J. Zhao, J. Liu, S. Huang, J. Yu 102

A strongly driven two-level transition in a solid state: Small inhomogeneous broadening
C. Wei, N.B. Manson, J.P.D. Martin 107

Optical nonlinearities in GaP induced by photo-excited free carriers
W. Ji, H. Fang, S.H. Tang 111

Excited state absorption and refraction in mixed metal cluster $(n\text{-}Bu_4N)_2[MoCu_3OS_3(NCS)_3]$
W. Ji, P. Ge, W. Xie, S.H. Tang, S. Shi 115

Dependence of polaron, soliton, and self-trapped exciton relaxation on excitation photon energy in quasi-one-dimensional MX-complexes
Y. Wada, N. Matsushita, J. Tanaka, T. Mitsuhashi 120

Optical instabilities in organic superlattices with Fermi resonance interface coupling
P. Reineker, Th. Neidlinger, V.M. Agranovich, V.I. Yudson 125

Picosecond pulse induced NLO response of fullerene glass
H. Liu, W. Jia, F. Lin, S. Mao 128

Study of degenerate four-wave mixing based on excited state absorption in methyl orange/polyvinyl alcohol polymer film
Y. Yang, H. Fei, Z. Wei, Q. Yang, G. Sun, L. Han 133

Chapter 4. Light-induced structural changes and barrier crossings

Dynamics of bleacheable H^-, D^- and T^- centers in $CaF_2:Pr^{3+}$ and $SrF_2:Pr^{3+}$
R.J. Reeves, K.M. Murdoch, G.D. Jones 136

Luminescence hole burning in semiconductor quantum dots
Y. Masumoto, T. Kawazoe 142

Proton tunneling in molecular solids
M. Neumann, M. Johnson, L. von Laue, H.P. Trommsdorff 146

Protein dynamics probed by resonance fluorescence spectroscopy
Y. Kanematsu, Y. Nishikawa, J.S. Ahn, T. Kushida 152

Persistent spectral hole-burning of pseudoisocyanine bromide J-aggregates
T. Tani, Liu-Yi, F. Sasaki, S. Kobayashi, H. Nakatsuka 157

Observation of two types of spectral holes in Eu^{3+} doped β''-alumina
K. Koyama, T. Suemoto 164

Optical depolarization in $CaF_2:RE^{3+}$ and $SrF_2:RE^{3+}C_{4v}$ centers due to dipole reorientation
S.P. Jamison, R.J. Reeves 169

An in situ EXAFS study of amorphous selenium: The formation of dynamical bonds under light excitation
A.V. Kolobov, H. Oyanagi, K. Tanaka, Ke Tanaka 174

Two types of spectral holes in Y_2O_3: Pr^{3+} crystalline systems
T. Okuno, T. Suemoto 179

Photoionization hole burning on the $4f^7$ $(^8S_{7/2}) \rightarrow 4f^6 5d$ (Γ_8) zero-phonon transition of Eu^{2+} in CaF_2 and $Ca_{1-x}La_xF_{2+x}$
D.B. Boye, Y. Sun, R.S. Meltzer 184

Chapter 5. Up-conversion and energy transfer

Up-conversion of multi-site Er in $LiNbO_3$ single-crystal fibers
W. Jia, Ki-Soo Lim, H. Liu, Y. Wang, J.J. Ju, S.I. Yun, F.E. Fernandez, W.M. Yen 190

Room-temperature up-conversion fluorescence of rare-earth centers in CaF_2
N.M. Strickland, G.D. Jones 198

Three-body energy transfer processes of lanthanide ions in crystals
M. Chua, P.A. Tanner 203

Fluorescence quenching of spacer-separated anthracene monolayers by inorganic substrates
M. Daffertshofer, H. Port, H.C. Wolf 208

Quantum up-conversion of Tm^{3+} and Tm^{3+}–Ho^{3+} ion pairs in $CsCdBr_3$
N. Bodenschatz, J. Neukum, J. Heber 213

Up-conversion fluorescence of Eu^{3+} doped alkaline earth fluoride crystals
J-P.R. Wells, R.J. Reeves 219

The effective frequency in multiphonon processes: Differences for energy transfers or side-bands and non-radiative decay
F. Auzel, Y.H. Chen 224

Up-converted energy transfer from Er^{3+} to Cr^{3+} in $LiNbO_3$ single crystal fibers
W. Jia, K.-S. Lim, H. Liu, Y. Wang, F. Fernandez, W.M. Yen 228

Chapter 6. Spectroscopy

Fluorescence microscopy: Spectral jumps of single molecules
T. Irngartinger, A. Renn, U.P. Wild 232

Photodynamics of organometal chelates
M. Glasbeek, C. Giesbergen 236

The variation of the electron–phonon coupling strength through the trivalent lanthanide ion series
A. Ellens, H. Andres, M.L.H. ter Heerdt, R.T. Wegh, A. Meijerink, G. Blasse 240

Spectroscopic studies of fullerenes doped with rare earth and transition metal ions
K.R. Hoffman, K. DeLapp, H. Andrews, P. Sprinkle, M. Nickels, B. Norris 244

Photoluminescence and structural defects of C_{60} single crystals
M. Tachibana, K. Nishimura, K. Kikuchi, Y. Achiba, K. Kojima 249

Zeeman spectroscopy of local modes of the C_{4v} H^- centre in $CaF_2:Er^{3+}$
G.D. Jones, N.M. Strickland 253

Superfluorescence from O_2^- molecules in alkali halide crystals
M. Ashida, A. Kato, O. Morikawa, R. Kato 259

Temperature dependence of resonant secondary emission in $NaNO_2$ crystals
A. Kato, M. Ashida, R. Kato 264

Near-infrared circular polarized luminescence spectroscopy of GMO:Er^{3+} crystals
M. Herren, M. Morita 268

Two-photon (TP) spectroscopy of terbium(III) elpasolites
A.J. Berry, C.S. McCaw, I.D. Morrison, R.G. Denning 272

Chapter 7. Glasses and disordered systems

The effect of oxide on the spectroscopic properties of the praseodymium 1.3 μm transition in gallium–lanthanum–sulphide glass
R.S. Brown, W.S. Brocklesby, D.W. Hewak, B.N. Samson 278

Compositional dependence of the luminescence from Cr^{4+}-doped calcium aluminate glass
X. Wu, H. Yuan, W.M. Yen, B.G. Aitken 285

Site-selection spectroscopy and energy transfer studies of Eu^{3+} ions in a new fluorophosphate glass
R. Balda, J. Fernández, N. Duhamel, J.L. Adam, G.F. Imbusch 290

Photoluminescence properties of Eu^{3+}, Nd^{3+}-codoped PLZT ceramics involving energy-transfer processes
S. Murakami, M. Herren, M. Morita, S. Ohkubo, T. Suzuki 294

Annealing of dye-doped matrices of amorphous water
T. Giering, D. Haarer 299

Influence of intermolecular interactions on the optical spectra of aromatic impurity molecules in solvent glasses at 8 K
I. Renge, U.P. Wild 305

Dynamic Stokes shift of dye molecules in glass-forming materials
H.T. Oh, Y. Kanematsu, A. Kurita, T. Kushida 310

Chapter 8. Restricted geometries

Luminescence of Mn^{2+} doped ZnS nanocrystallites
C. Jin, J. Yu, L. Sun, K. Dou, S. Hou, J. Zhao, Y. Chen, S. Huang 315

Luminescence excitation assisted by phonons in porous silicon
K. Murayama, H. Komatsu, S. Miyazaki, M. Hirose 319

Two-exciton states with lattice relaxation in one-dimensional semiconductors
K. Ishida, S. Itoh 323

Exciton states in organized molecular systems: A model for columnar aggregates
J.P. Lemaistre, C. Ecoffet, D. Markovitsi 327

Temperature dependence of photoluminescence in CdS nanocrystals prepared by the sol–gel method
J. Zhao, K. Dou, Y. Chen, C. Jin, L. Sun, S. Huang, J. Yu, W. Xiang, Z. Ding 332

Dephasing processes of coherent exciton migration in mixed aggregates with barriers of PIC-I and azaPIC-I
J. Liu, Y. Chen, J. Zhao, K. Dou, S. Hang, J. Yu 337

Excited state dynamics and relaxation of poly(methylphenylsilane) film
S. Suto, H. Suzuki, T. Goto, A. Watanabe, M. Matsuda 341

Luminescence of coated α-Fe_2O_3 nanoparticles
H. Fei, X. Ai, M. Gao, Y. Yang, T. Zhang, J. Shen 345

Chapter 9. Elementary excitations

Optical generation of nonequilibrium terahertz resonant vibrational excitations in highly porous aluminium oxide
S.P. Feofilov, A.A. Kaplyanskii, R.I. Zakharchenya 349

Universality in vibrational modes of various disordered materials examined by hole-burning-free FLN spectroscopy
Y. Ichino, Y. Kanematsu, T. Kushida 358

Anharmonic decay of subnanosecond acoustic phonons in $LaF_3:Pr^{3+}$
S.M. Kirkpatrick, W.M. Dennis 362

Subgap optical absorption in conjugated polymers
M.V. Mostovoy, J. Knoester 365

Detection of enhanced bulk modes by means of resonance Rayleigh scattering and femtosecond optical Kerr effect spectroscopy
Y. Kai, S. Kinoshita 370

Low-frequency phonon structures in disordered systems probed by femtosecond nonlinear spectroscopy
S. Kinoshita, Y. Kai, T. Ariyoshi, M. Yamaguchi, T. Yagi 375

Photodoping effect and ultrafast carrier relaxation in insulating YBaCuO and Nd_2CuO_4 thin films
M. Ichida, K. Matsuda, A. Nakamura, T. Nabatame, I. Hirabayashi 379

Chapter 10. Excitons

Ultrafast relaxation of excitons and photopolymerization in C_{60} and C_{70}
A. Nakamura, M. Ichida, T. Yajima, H. Shinohara, Y. Saitoh 383

Decay of the self-trapped exciton and large scale atomic motion in ionic halide crystals
K.S. Song 389

Experimental examination of the two-photon XX absorption models by a new type of polarization spectroscopy in CuCl
M. Hasuo, H. Kawano, N. Nagasawa 396

Infrared transient absorption of confined excitons in CuCl quantum dots
Y. Mimura, K. Edamatsu, T. Itoh 401

Subpicosecond dynamics of confined excitons and optical nonlinearities of CuCl quantum dots
K. Edamatsu, S. Yano, S. Iwai, T. Itoh, T. Goto, A. Ekimov 406

Finding of the radiative decay channel of a biexciton leaving a $Z_{1,2}$–1 s exciton behind in CuCl
M. Hasuo, N. Nagasawa 410

Fine structure of the 2P exciton in ZnSe/GaAs films studied by resonant hyper-Rayleigh and hyper-Raman scatterings
S.-i. Matsushita, F. Minami, K. Yoshida, K. Inoue, H. Akinaga 414

Femtosecond spectroscopic studies of the initial formation process of self-trapped excitons in KI
S. Iwai, A. Nakamura 418

Charge carrier and exciton dynamics in polysilane-based multilayer light-emitting diodes as monitored with electroluminescence
H. Suzuki, H. Meyer, S. Hoshino, D. Haarer 423

Coherent formation of biexcitons in ZnSe/ZnSSe quantum wells by four-wave mixing
T. Kuroda, K. Inoue, R. Kuribayashi, F. Minami, A. Mysyrowicz, I. Suemune 429

Observation of polarization characteristics of a two-photon transition of the ortho-exciton in Cu_2O by resonance emission
S. Kono, M. Hasuo, N. Nagasawa 433

Polarization of self-trapped exciton luminescence in $CdBr_2$
M. Kitaura, H. Nakagawa 438

Dynamical properties of confined excitons in BiI_3 microcrystallites and ultra-thin films embedded in CdI_2 matrices
D. Kim, T. Karasawa, I. Akai, T. Komatsu, T. Kobayashi 443

Lateral transport and dynamical behavior of quasi-two-dimensional excitons at high density along a stacking disorder plane in layered BiI_3 crystals
H. Kondo, T. Kawai, T. Karasawa, I. Akai, T. Komatsu 448

Charge-transfer excitons in organic layers: Optical transient grating
P. Reineker, T. Neidlinger, V.I. Yudson 453

Chapter 11. Semiconductors, superlattices and quantum wells

Femtosecond electron relaxation in non-stoichiometric GaAs and InGaAs
A. Krotkus, S. Marcinkevičius, C. Jagadish, M. Kaminska 455

Spin-dependent dynamical processes of excited states in semiconductors
J.-M. Spaeth 462

Dynamical process of excitons under magnetic fields in GaAs/AlGaAs superlattices
T. Komatsu, E. Kawahata, T. Karasawa, I. Akai, V.F. Aguekian, M. Nakayama, K. Uchida, N. Miura 468

The role of quantum fluctuations in optically excited electron–hole systems
T. Inagaki, M. Aihara 473

Coherent dynamics of free and bound excitons in strained ZnSe epilayers
U. Neukirch, D. Weckendrup, D. Hommel 478

Proximity effect of electron–hole BCS state in highly excited semiconductors
T. Iida, M. Suzuki, M. Aihara 483

Generation and detection of terahertz electromagnetic pulses from semiconductors with femtosecond optics
X.-C. Zhang 488

Resonant second harmonic generation in semiconductor quantum wells
H. Ito, F. Minami, K. Yoshida, K. Inoue 493

Chapter 12. Charge transfer and trapping

Applications of laser spectroscopy to triplet metal-to-ligand charge transfer transitions
H. Riesen, E. Krausz 496

Dynamics of electron transfer in donor–acceptor complexes
M. Schreiber, B. Kirchner, C. Fuchs 506

Secondary emission from molecule–solid coupled systems with a charge-transfer type interaction
M. Suzuki, T. Iida 511

Study of the Marcus inverted region for electron transfer in a quantum mechanical system with dissipation
M. Schreiber, C. Fuchs 516

Density of states, relaxation dynamics, and hopping conductivity of disordered many-electron systems with long-range correlation
M. Schreiber, K. Tenelsen, T. Vojta 521

Charge transfer processes and dynamic equilibrium of electronic state occupancies in optically excited $SrTiO_3$: Cr crystals
S.A. Basun, U. Bianchi, V.E. Bursian, A.A. Kaplyanskii, W. Kleemann, L.S. Sochava, V.S. Vikhnin 526

List of Contributors 531

Subject Index 535

Materials Index 539